
Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: Wed Aug 08 10:49:41 EDT 2007

Validated By CRFValidator v 1.0.2

Application No: 10581763 Version No: 1.1

Input Set:

Output Set:

Started: 2007-08-08 10:49:20.745 **Finished:** 2007-08-08 10:49:24.446

Elapsed: 0 hr(s) 0 min(s) 3 sec(s) 701 ms

Total Warnings: 11
Total Errors: 0

No. of SeqIDs Defined: 32

Actual SeqID Count: 32

Error code		or code	Error Descript	ion								
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(2)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(21)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(22)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(23)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(24)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(25)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(26)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(27)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(28)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(31)
	W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(32)

SEQUENCE LISTING

```
<110> Monsanto Technology LLC
      Donovan, Judith C
      Donovan, William P
      Engleman, James T
      Malvar, Thomas M
      Pitkin, John W
<120> Secreted Insecticidal Protein and Gene Compositions From Bacillus
       thuringiensis and Uses Therefor
<130> 38-21(52949)B
<140> 10/581,763
<141> 2006-06-06
<150> PCT/US04/042611
<151> 2004-12-14
<150> 60/529,917
<151> 2003-12-16
<160> 32
<170> PatentIn version 3.3
<210> 1
<211> 18
<212> PRT
<213> Bacillus thuringiensis
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> unknown amino acid
<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> unknown amino acid
<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> unknown amino acid
<400> 1
Xaa Arg Glu Arg Gly Ser Val Asn Ser Phe Asn Glu Leu Pro Xaa Phe
               5
                                   10
```

Asn Xaa

```
<210> 2
<211> 50
<212> DNA
<213> Artificial Sequence
<220>
<223> oligonucleotide probe WD470
<220>
<221> misc_feature
<222> (1)..(50)
<223> oligonucleotide WD470
<400> 2
                                                                       50
tatagagaaa gaggatctgt tgattctttt aatgaattac ctccatttaa
<210> 3
<211> 1803
<212> DNA
<213> Bacillus thuringiensis
<220>
<221> CDS
<222> (1)..(1803)
<223> TIC900
<400> 3
atg aat tca aag gaa cat gat tat cta aaa gtt tgt aat gat tta agt
                                                                       48
Met Asn Ser Lys Glu His Asp Tyr Leu Lys Val Cys Asn Asp Leu Ser
                5
                                    10
gac gcc aat att aat atg gag cgg ttt gat aag aat gat gca ctg gaa
Asp Ala Asn Ile Asn Met Glu Arg Phe Asp Lys Asn Asp Ala Leu Glu
            20
                                25
att ggt atg tcc att gta tct gaa ctt att ggt atg att cca ggc gga
                                                                     144
Ile Gly Met Ser Ile Val Ser Glu Leu Ile Gly Met Ile Pro Gly Gly
        35
                            40
                                                45
aca gct ttg caa ttt gtg ttt aat caa ttg tgg tct cgt tta ggt gat
                                                                     192
Thr Ala Leu Gln Phe Val Phe Asn Gln Leu Trp Ser Arg Leu Gly Asp
    50
tct gga tgg aat gcg ttc atg gaa cat gtg gag gaa tta att gat act
                                                                     240
Ser Gly Trp Asn Ala Phe Met Glu His Val Glu Glu Leu Ile Asp Thr
                    70
aaa ata gaa ggg tat gca aaa aat aaa gcc tta tct gaa tta gca ggt
                                                                      288
Lys Ile Glu Gly Tyr Ala Lys Asn Lys Ala Leu Ser Glu Leu Ala Gly
                85
                                    90
                                                        95
                                                                     336
ata caa aga aac ctt gaa aca tat ata caa tta cgt aat gaa tgg gaa
Ile Gln Arg Asn Leu Glu Thr Tyr Ile Gln Leu Arg Asn Glu Trp Glu
```

100 105 110

	_		-			_	-			_	gta Val	_				384
_	_			_		-	_		_	_	cct Pro 140			_		432
			-	-					-		gtg Val					480
						_	-	_		_	tat Tyr		_	_		528
		_		-							gat Asp	_	_		_	576
			-					_	_		tgg Trp					624
		_									caa Gln 220	_				672
		_		_	-	Ī.,	_				gtt Val		-		_	720
-			_			-	-				cca Pro				-	768
-	_				-	-		_	-		tta Leu					816
										_	ttt Phe	_	-	_	_	864
	_			_				_	_	_	ttt Phe 300		_	_		912
				-			_			_	aac Asn					960

	cta Leu			_		_				_		_	_			1056
	tat Tyr			-		_				_	_			-		1104
	cag Gln 370	_		-		_						_	_			1152
	gta Val	-							_		_		_	-	_	1200
	tcg Ser	-	_						_					_		1248
	cct Pro		_	-		-		-		_		_	_		_	1296
_	aaa Lys										-					1344
	cat His 450	_	_	-	-	-					_					1392
_	caa Gln		_		_		_									1440
_	agg Arg									_			_	_		1488
	cct Pro					-	_	-					-			1536
	gaa Glu	_		_	-			_		-		_		-		1584
		313														
	ttt Phe 530	gtc	_	-				-								1632

	-	_		_	act Thr			_				-		_		1728
	_				caa Gln	_						_	-			1776
-			_		att Ile		_	-								1803
<211 <212	<210> 4 <211> 601 <212> PRT <213> Bacillus thuringiensis															
< 400)> 4	1														
Met 1	Asn	Ser	Lys	Glu 5	His	Asp	Tyr	Leu	Lys 10	Val	Суз	Asn	Asp	Leu 15	Ser	
Asp	Ala	Asn	Ile 20	Asn	Met	Glu	Arg	Phe 25	Asp	Lys	Asn	Asp	Ala 30	Leu	Glu	
Ile	Gly	Met 35	Ser	Ile	Val	Ser	Glu 40	Leu	Ile	Gly	Met	Ile 45	Pro	Gly	Gly	
Thr	Ala 50	Leu	Gln	Phe	Val	Phe 55	Asn	Gln	Leu	Trp	Ser 60	Arg	Leu	Gly	Asp	
Ser 65	Gly	Trp	Asn	Ala	Phe 70	Met	Glu	His	Val	Glu 75	Glu	Leu	Ile	Asp	Thr 80	
Lys	Ile	Glu	Gly	Tyr 85	Ala	Lys	Asn	Lys	Ala 90	Leu	Ser	Glu	Leu	Ala 95	Gly	
Ile	Gln	Arg	Asn 100	Leu	Glu	Thr	Tyr	Ile 105	Gln	Leu	Arg	Asn	Glu 110	Trp	Glu	
Asn	Asp	Ile 115	Glu	Asn	Ser	Lys	Ala 120	Gln	Gly	Lys	Val	Ala 125	Asn	Tyr	Tyr	
Glu	Ser 130	Leu	Glu	Gln	Ala	Val 135	Glu	Arg	Ser	Met	Pro 140	Gln	Phe	Ala	Val	

Gly Asn Phe Glu Val Pro Leu Leu Thr Val Tyr Val Gln Ala Ala Asn

145 150 155	160
-------------	-----

Leu His Leu Leu Leu Leu Arg Asp Val Ser Val Tyr Gly Lys Arg Trp
165 170 175

Gly Trp Ser Glu Gln Lys Ile Lys Ile Tyr Tyr Asp Arg Gln Ile Lys 180 185 190

Tyr Thr His Glu Tyr Thr Asn His Cys Val Asn Trp Tyr Asn Lys Gly
195 200 205

Leu Glu Arg Leu Lys Asn Lys Gly Ser Ser Tyr Gln Asp Trp Tyr Asn 210 215 220

Tyr Asn Arg Phe Arg Arg Glu Met Thr Leu Thr Val Leu Asp Ile Val 225 230 235 240

Ala Leu Phe Pro His Tyr Asp Val Gln Thr Tyr Pro Ile Thr Thr Val 245 250 255

Ala Gln Leu Thr Arg Glu Val Tyr Thr Asp Pro Leu Leu Asn Phe Asn 260 265 270

Pro Lys Leu His Ser Val Ser Gln Leu Pro Ser Phe Ser Asp Met Glu 275 280 285

Asn Ala Thr Ile Arg Thr Pro His Leu Met Glu Phe Leu Arg Met Leu 290 295 300

Thr Ile Tyr Thr Asp Trp Tyr Ser Val Gly Arg Asn Tyr Tyr Trp Gly 305 310 315 320

Gly His Arg Val Thr Ser Tyr His Val Gly Gly Glu Asn Ile Arg Ser 325 330 335

Pro Leu Tyr Gly Arg Glu Ala Asn Gln Glu Val Pro Arg Asp Phe Tyr 340 345 350

Phe Tyr Gly Pro Val Phe Lys Thr Leu Ser Lys Pro Thr Leu Arg Pro 355 360 365

Leu Gln Gln Pro Ala Pro Ala Pro Pro Phe Asn Leu Arg Ser Leu Glu 370 375 380

Gly 385	Val	Glu	Phe	His	Thr 390	Ser	Thr	Gly	Ser	Phe 395	Met	Tyr	Arg	Glu	Arg 400
Gly	Ser	Val	Asp	Ser 405	Phe	Asn	Glu	Leu	Pro 410	Pro	Phe	Asn	Pro	Val 415	Gly
Leu	Pro	His	Lys 420	Val	Tyr	Ser	His	Arg 425	Leu	Cys	His	Ala	Thr 430	Phe	Val
Arg	Lys	Ser 435	Gly	Thr	Pro	Tyr	Leu 440	Thr	Thr	Gly	Ala	Ile 445	Phe	Ser	Trp
Thr	His 450	Arg	Ser	Ala	Glu	Glu 455	Thr	Asn	Thr	Ile	Glu 460	Ser	Asn	Ile	Ile
Thr 465	Gln	Ile	Pro	Leu	Val 470	Lys	Ala	Tyr	Gln	Ile 475	Gly	Ser	Gly	Thr	Thr 480
Val	Arg	Lys	Gly	Pro 485	Gly	Phe	Thr	Gly	Gly 490	Asp	Ile	Leu	Arg	Arg 495	Thr
Gly	Pro	Gly	Thr 500	Phe	Gly	Asp	Met	Arg 505	Ile	Asn	Ile	Asn	Ala 510	Pro	Leu
Ser	Glu	Arg 515	Tyr	Arg	Val	Arg	Ile 520	Arg	Tyr	Ala	Ser	Thr 525	Thr	Asp	Leu
Gln	Phe 530	Val	Thr	Ser	Ile	Asn 535	Gly	Ala	Thr	Ile	Asn 540	Ile	Gly	Asn	Phe
Pro 545	Lys	Thr	Ile	Asn	Asn 550	Leu	Asn	Thr	Leu	Gly 555	Ser	Glu	Gly	Tyr	Arg 560
Thr	Val	Ser	Phe	Ser 565	Thr	Pro	Phe	Ser	Phe 570	Ser	Asn	Ala	Gln	Ser 575	Ile
Phe	Arg	Leu	Gly 580	Ile	Gln	Ala	Phe	Ser 585	Gly	Val	Gln	Glu	Val 590	Tyr	Val
7	T	т] -	C 1	Dk -	т] -	D.c.	77 7	6 1							

Asp Lys Ile Glu Phe Ile Pro Val Glu 595 600

<211> 1803 <212> DNA <213> Bacillus thuringiensis <220> <221> CDS <222> (1)..(1803) <223> TIC402 <400> 5 atg aat tca aag gaa cat gat tat cta aaa gtt tgt aat gat tta agt Met Asn Ser Lys Glu His Asp Tyr Leu Lys Val Cys Asn Asp Leu Ser 5 1.0 gac gcc aat att aat atg gaa cgg ttt gat aag aat gat gca ctg gaa 96 Asp Ala Asn Ile Asn Met Glu Arg Phe Asp Lys Asn Asp Ala Leu Glu att ggt atg tcc att gta tct gaa ctt att ggt atg att cca ggc gga 144 Ile Gly Met Ser Ile Val Ser Glu Leu Ile Gly Met Ile Pro Gly Gly 35 40 45 aca gct ttg caa ttt gtg ttt aat caa ttg tgg tct cgt tta ggt gat 192 Thr Ala Leu Gln Phe Val Phe Asn Gln Leu Trp Ser Arg Leu Gly Asp 50 55 tct gga tgg aat gcg ttc atg gaa cat gtg gag gaa tta att gat act 240 Ser Gly Trp Asn Ala Phe Met Glu His Val Glu Glu Leu Ile Asp Thr 7.0 75 aaa ata gaa ggg tat gca aaa aat aaa gcc tta tct gaa tta gca ggt 288 Lys Ile Glu Gly Tyr Ala Lys Asn Lys Ala Leu Ser Glu Leu Ala Gly 85 ata caa aga aac ctt gaa aca tat ata caa tta cgt aat gaa tgg gaa 336 Ile Gln Arg Asn Leu Glu Thr Tyr Ile Gln Leu Arg Asn Glu Trp Glu 100 105 aat gat att gaa aac tca aag gct caa ggt aag gta gct aat tac tat 384 Asn Asp Ile Glu Asn Ser Lys Ala Gln Gly Lys Val Ala Asn Tyr Tyr 115 120 125 gaa agt ctt gag cag gcg gtt gaa agg agt atg cct caa ttt gca gtg 432 Glu Ser Leu Glu Gln Ala Val Glu Arg Ser Met Pro Gln Phe Ala Val 130 135 480 gag aat ttt gaa gta cca ctt tta act gtc tat gtg caa gct gct aat Glu Asn Phe Glu Val Pro Leu Leu Thr Val Tyr Val Gln Ala Ala Asn 145 150 155 160 ctt cat tta tta tta aga gat gtt tca gtt tat gga aag tgt tgg 528 Leu His Leu Leu Leu Arg Asp Val Ser Val Tyr Gly Lys Cys Trp 165 170

<210> 5

gga tgg tcg gag cag aaa att aaa att tat tat gat aaa cag att aag 576 Gly Trp Ser Glu Gln Lys Ile Lys Ile Tyr Tyr Asp Lys Gln Ile Lys 180 185 190

t